

Author index to Volume 16

- AARONSON N.K., see Hilgers F.J.M.
 ACKERSTAFF A.H., see Hilgers F.J.M.
 AITKEN D., see McGarry G.W.
 AL-KHABORI M., see Barr G.D.
 ALBERTI P.W., see McShane D.P.
 ALLEN M.B., see Woodhead C.J.
 ALUN-JONES T., CLARKE P.J., MORRISSEY S. & HILL J.
 Blood transfusion and laryngeal cancer, 240
 ANDERSEN O.B., see Elbrønd O.
- BALM A.J.M., see Laarman D.A.W.
 BARNES L. & TAYLOR S.R. Vagal paragangliomas: a clinical, pathological, and DNA assessment, 376
 BARR G.D. & AL-KHABORI M. A randomized prospective comparison of two methods of administering topical treatment in otitis externa, 547
 BENAZZO M., see Mevio E.
 BERGMANN I., see Ostri B.
 BINGHAM B.J., see Dawes P.J.D.
 BIRZGALIS A.R. & SAEED S. The effect of early blood transfusion on severe epistaxis, 501
 BJÖRKMAN R., see Nordblad H.
 BLAYNEY A.W., see Lesser T.H.J.
 BOYSEN M., see Stenersen T.Ch.
 BRAAKHUIS B.J.M., see Laarman D.A.W.
 BRADBURN J., see Kotecha B.
 BRADLEY P., see Coles R.
 BREACH N.M., see Watkinson J.C.
 BROCKBANK M.J. & BROOKES G.B. The sphenoiditis spectrum, 15
 BROOKES G.B., see Brockbank M.J.
 BRYCE D.P., see McIlwain J.C.
 BUCKLEY G. & HINTON A. Otitis media with effusion in children shows a progressive resolution with time, 354
- CAMILLERI A.E., SWAN I.R.C. & STURROCK R. Chronic otitis media and ankylosing spondylitis: an HLA association? 364
 CAMPBELL J.B. & NIGAM A. Hearing aid prescribing: Is the specialist opinion necessary? 124
 CAMPBELL J.B., see Snow D.G.
 CARDING P.N., see Murty G.E.
 CHARTERS P., see Jones A.S.
 CHAURASIA M.K. & GEDDES N.K. An analysis of the aetiology of early childhood deafness, 280
 CLARKE P.J., Alun-Jones T.
 CLARKE S.E.M., see Watkinson J.C.
 CLAUSEN P.P., see Outzen K.E.
 COLES R., BRADLEY P., DONALDSON I. & DINGLE A. A trial of tinnitus therapy with ear-canal magnets, 371
 COLES R.R.A., see Fortnum H.M.
 COWAN D.L., See Crellin R.P.
 CRELLIN R.P., WILSON J.A. & COWAN D.L. Mastoid surgery in childhood, 39
 CROFT C.B. & PRINGLE M.B. Sleep nasendoscopy: a technique of assessment in snoring and obstructive sleep apnoea, 504
 CROFT C.B., see Pringle M.B.
 CROFT C.B., see Fisher E.W.
- CROFT C.B., WHITTET H.B., FISHER E.W., LLOYD G.A.S. & WRIGHT A. Polytomographic radiology in the diagnosis and management of maxillary antral disease as determined by endoscopy, 62
 CROWTHER J.A. & SIMPSON D. Medical treatment of chronic otitis media: Steroid or antibiotic with steroid eardrops? 142
- DANBOLT C., see Mjones A.-B.
 DAROWSKI M., see Kotecha B.
 DAVIES J.E., see Woodhead C.J.
 DAVIES J.E., JOHN D.G. & STEPHENS S.D.G. Intermediate hearing tests as predictors of hearing aid acceptance, 76
 DAWES P.J.D., BINGHAM B.J., RHYS R. & GRIFFITHS M.V. Aspiring middle ear effusions when inserting ventilation tubes: does it influence post-operative otorrhoea, tube obstruction or the development of tympanosclerosis? 457
 DE VRIES N., see Maier H.
 DEARY I.J., see Wilson J.A.
 DELLA ROCCA C. see Magliulo G.
 DEMPSTER J.H. & MACKENZIE K. Tympanometry in the detection of hearing impairments associated with otitis media with effusion, 157
 DIEGES P.H., see Van Wijk R.G.
 DIKKERS F.G. & SCHUTTE H.K. Benign lesions of the vocal folds: uniformity in assessment of clinical diagnosis, 8
 DILKES M., see Smith I.M.
 DINGLE A., see Coles R.
 DJERIĆ D.R., see Savić D.L.J.
 DONALDSON I., see Coles R.
 DOUEK E. Editorial: Screening for deafness in children, 115
 DRAKE-LEE A.B., see Prior A.J.
 DRAKE-LEE A.B., The value of medical treatment in nasal polyps, 237
- EAST C.A. & MANGHAM C.A. Composite tragal perichondrial/cartilaginous autograft vs cartilage or bone paste grafts in tympanoplasty, 540
 EL-HAKIM I.E. & LANGDON J.D. Review Arachidonic acid cascade and oral squamous cell carcinoma, 563
 ELBRØND O., see Lindberg H.
 ELBRØND O., HILBERG O., FELDING J.U. & ANDERSEN O.B. Acoustic rhinometry, used as a method to demonstrate changes in the volume of the nasopharynx after adenoidectomy, 84
 ENGBERTS G.E.R., see Otten F.W.A.
- FELDING J.U., see Elbrønd O.
 FERGUSON J.A., GOLDACRE M.J., HENDERSON J. & FREELAND A.P. Workload trends in Otolaryngology: some statistical observations from medical record linkage, 393
 FINKELSTEIN D.M., see McShane D.P.
 FISHER E.W. & CROFT C.B. Endoscopy in outpatient management: a prospective study, 212
 FISHER E.W., see Croft C.B.
 FORTNUM H.M. & COLES R.R.A. Trial of flecainide acetate in the management of tinnitus, 93
 FREELAND A.P., see Ferguson J.A.
 FREELAND A.P., see Leighton S.E.J.

- FROLUND L. Efficacy of an oral antihistamine, loratadine, as compared with a nasal steroid spray, beclomethasone dipropionate, in seasonal rhinitis, 527
- GALIOTO P., see Mevio E.
- GANTZ B.J., see Lee R.J.
- GEDDES N.K., see Chaurasia M.K.
- GILBERT R., see McIlwain J.C.
- GILES M. & O'BRIEN P.O. The prevalence of hearing impairment amongst Maori schoolchildren, 174
- GOLDACRE M.J., see Ferguson J.A.
- GRACE A., see McIlwain J.C.
- GRAY R., see Nicolaides A.
- GRAY R.F., see Males A.G.
- GRIFFITHS M.V., see Dawes P.J.D.
- GRØNTVED A., see Outzen K.E.
- GROTE J.J., see Otten F.W.A.
- GWINNUTT C.L., see Kotecha B.
- HALL B.K., see Lee R.J.
- HALL ROBINSON B.K., see Lee R.J.
- HALL S.J., MCGUIGAN J.A. & ROCKS M.J. Red blood cell deformability in sudden sensorineural deafness: another aetiology? 3
- HALL S.M., see Jones N.S.
- HALLAM R.S., see McKenna L.
- HARRIS W.E., Is a single quinsy an indication for tonsillectomy? 271
- HEIJ J.M.H., see Kroon A.A.
- HELLQUIST H.B., see Miyaguchi M.
- HENDERSON J., see Ferguson J.A.
- HILBERG O., see Elbrønd O.
- HILGERS F.J.M., AARONSON N.K., ACKERSTAFF A.H., SCHOUWENBURG P.F. & VAN ZANDWIJK N. The influence of a heat and moisture exchanger (HME) on the respiratory symptoms after total laryngectomy, 152
- HILL J., see Alun-Jones T.
- HINCHLIFFE R., see McKenna L.
- HINTON A., see Buckley G.
- HOEL P.S., see Stenersen T.Chr.
- HYDE M.L., see McShane D.P.
- JACKSON S.R. & STELL P.M. Second radical neck dissection, 52
- JENSEN J.H. & LARSEN S.B. Treatment of recurrent acute tonsillitis with clindamycin. An alternative to tonsillectomy? 498
- JENSEN P.F., KRISTENSEN S., JUUL A. & JOHANNESSEN N.W. Episodic nocturnal hypoxia and nasal packs, 433
- JESSEN M. & MALM L. The spontaneous course of nasal obstruction in patients with normal nasal airway resistance, 302
- JOHANNESSEN N.W., see Jensen P.F.
- JOHN D.G., see Davies J.E.
- JOHNSEN T., see Ostri B.
- JOHNSON A.P., see Moriarty B.G.
- JOHNSTON D., see Robb P.J.
- JONES A.S. Review: The external approach for rhinoplasty and septoplasty, 97
- JONES A.S. & STELL P.M. Is laterality important in neck node metastases in head and neck cancer? 261
- JONES A.S. & STELL P.M. Squamous cell carcinoma of the posterior pharyngeal wall, 462
- JONES A.S., VIANI L., PHILLIPS D. & CHARTERS P. The objective assessment of nasal patency, 206
- JONES J.D., see Thomas C.J.
- JONES N.S. & HALL S.M. Evaluation of a new method of neural anastomosis using nitrocellulose paper, 383
- JØRGENSEN K., see Outzen K.E.
- JUUL A., see Jensen P.F.
- KAUIJPER W.A., see Kroon A.A.
- KELLY P.J., see Murty G.E.
- KERR A.G., see McKee G.J.
- KNIGHT L.C. Temporal changes in unilateral middle ear pressure under basal conditions, 543
- KNUDSEN L., see Paaske P.B.
- KOTECHA B., O'LEARY G., BRADBURN J., DAROWSKI M. & GWINNUTT C.L. Pain relief after tonsillectomy in adults: intramuscular diclofenac and paracetamol compared, 345
- KRISTENSEN S., see Jensen P.F.
- KROON A.A., HEIJ J.M.H., KAUIJPER W.A., VEERMAN A.J.P. & VAN DER BAAN S. Function and morphology of respiratory cilia in situs inversus, 294
- LAARMAN D.A.W., VAN KAMP G.J., BALM A.J.M., BRAAKHUIS B.J.M. & SNOW G.B. Carcinoembryonic antigen and head and neck cancer, 182
- LAING M.R. & MCKERROW W.S. Adult tonsillectomy, 21
- LANCASTER P., see Murty G.E.
- LANGDON J.D., see El-Hakim I.E.
- LARSEN S.B., see Jensen J.H.
- LEE R.J., MACKENZIE I.C., HALL ROBINSON B.K. & GANTZ B.J. The nature of the epithelium in acquired cholesteatoma. Part 2 Cell culture, 493
- LEE R.J., MACKENZIE I.C., HALL B.K. & GANTZ B.J. The nature of epithelium in acquired cholesteatoma, 168
- LEIGHTON S.E.J., ROBSON A.K. & FREELAND A.P. Audit of stapedectomy results in a teaching hospital, 488
- LESSER T.H.J., WILLIAMS K.R. & BLAYNEY A.W. Mechanics and materials in middle ear reconstruction, 29
- LIM D.P. & STEPHENS S.D.G. Clinical investigation of hearing loss in the elderly, 288
- LINDBERG H. Laryngeal papillomas: histomorphometric evaluation of multiple and solitary lesions, 257
- LINDBERG H. & ELBRØND O. Malignant tumours in patients with a history of multiple laryngeal papillomas: the significance of irradiation, 149
- LINDROOS R. Surgery for chronic ear disease in a non-university hospital: open cavity, obliteration and intact canal wall techniques, 252
- LLOYD G.A.S., see Croft C.B.
- MACKENZIE I.C., see Lee R.J.
- MACKENZIE K., see Dempster J.H.
- MAGLIULO G., UNGARI C., DELLA ROCCA C., MUSCATELLO M. & VINGOLO G.M. The effect of glycerol on the guinea-pig hydropic ear, 483
- MAIER H., DE VRIES N. & SNOW G.B. Review: Occupational factors in the aetiology of head and neck cancer, 406
- MAINS B.T., see Murty G.E.
- MALES A.G. & GRAY R.F. Mastoid misery: quantifying the distress in a radical cavity, 12
- MALLING B., see Paaske P.B.
- MALM L., see Jessen M.
- MANGHAM C.A., see East C.A.
- MARAN A.G.D., see Rivron R.P.
- MARAN A.G.D., see Wilson J.A.

- MARTIN F.W., see Nunez D.A.
 MAW A.R., see Smith I.M.
 MAXWELL A.P., see Murty G.E.
 McCONKEY C.C., see Robin P.E.
 MCGARRY G.W. & AITKEN D. Intranasal balloon catheters: How do they work? 388
 MCGUIGAN J.A., see Hall S.J.
 MCILWAIN J.C., BRYCE D.P., GILBERT R. & GRACE A. Subglottic laryngeal closure for aspiration, 33
 MCKEE G.J., KERR A.G., TONER J.G. & SMYTH G.D.L. Review Surgical control of vertigo in Ménière's disease, 216
 MCKENNA L., HALLAM R.S. & HINCHCLIFFE R. The prevalence of psychological disturbances in neuro-otology outpatients, 452
 MCKERROW W.S., see Laing M.R.
 MCSHANE D.P., HYDE M.L., FINKELSTEIN D.M. & ALBERTI P.W. Unilateral otosclerosis and noise-induced occupational hearing loss, 70
 MEVIO E., BENAZZO M., GALIOTO P., SPRIANO P. & PIZZALA R. Use of serum markers in the diagnosis and management of laryngeal cancer, 90
 MICHAELS L. Editorial The future of temporal bone pathology, 525
 MIDDLETON D., see Murty G.E.
 MILFORD C.A. & O'FLYNN P.E. Management of verrucous carcinoma of the larynx, 160
 MILLS R.P. Ossicular geometry and the choice of technique for ossiculoplasty, 476
 MILLS R.P., PADGHAM N.D. & VAUGHAN-JONES R.H. Surgical anatomy of the singular nerve, 305
 MILTON C.M., see Premachandra D.J.
 MIYAGUCHI M., OLOFSSON J. & HELLQUIST H.B. Expression of epidermal growth factor receptor in glottic carcinoma and its relation to recurrence after radiotherapy, 466
 MJÖNES A.-B., OLOFSSON J., DANBOLT C. & TIBBLING L. Oesophageal speech after laryngectomy: a study of possible influencing factors, 442
 MORGAN D.W., see Snow D.G.
 MORIARTY B.G., JOHNSON A.P. & PATEL P. Patterns of epithelial migration in the unaffected ear in patients with a history of unilateral cholesteatoma, 48
 MORRISSEY S., see Alun-Jones T.
 MURRAY J.A.M., see Rivron R.P.
 MURTY G.E., CARDING P.N. & KELLY P.J. Combined glottographic changes in the elderly, 532
 MURTY G.E., CARDING P.N., KELLY P.J. & LANCASTER P. The effect of frequency on combined glottography, 298
 MURTY G.E., CARDING P.N., KELLY P.J. & LANCASTER P. The effect of intensity on combined glottography, 399
 MURTY G.E., LANCASTER P. & KELLY P.J. Cough intensity in patients with a vocal cord palsy, 248
 MURTY G.E., MAINS B.T., MIDDLETON D., MAXWELL A.P. & SAVAGE D.A. HLA antigen frequencies and Wegener's granulomatosis, 448
 MURTY G.E., SMITH M.C.F. & LANCASTER P. Cough intensity in the laryngectomee, 25
 MUSCATELLO M., see Magliulo G.
 NICOLAIDES A., GRAY R. & PFLEIDERER A. A new approach to the management of acute epistaxis, 59
 NIGAM A. & ROBIN P.E. The role of bupivacaine in post-tonsillectomy pain, 278
 NIGAM A., see Campbell J.B.
 NORDBLADH I., OHLANDER B. & BJÖRKMAN R. Analgesia in tonsillectomy: a double-blind study on pre and post-operative treatment with diclofenac, 554
 NUNEZ D.A. & MARTIN F.W. An evaluation of post-operative packing in nasal septal surgery, 549
 O'BRIEN P.O., see Giles M.
 O'CONNELL J.E. & ROBIN P.E. Rehabilitation of facial nerve palsy, 470
 O'FLYNN P.E., see Milford C.A.
 O'LEARY G., see Kotecha B.
 O'REILLY B.F., see Simpson D.C.
 OHLANDER B., see Nordbladh I.
 OLOFSSON J., see Miyaguchi M.
 OLOFSSON J., see Mjones A.-B.
 OSTRIB., JOHNSEN T. & BERGMANN I. Temporal bone findings in a family with branchio-oto-renal syndrome (BOR), 163
 OTTEN F.W.A., ENGBERTS G.E.R. & GROTE J.J. Ultrasonography as a method of examination of the frontal sinus, 285
 OUTZEN K.E., GRØNTVED A., JØRGENSEN K. & CLAUSEN P.P. Inverted papilloma of the nose and paranasal sinuses: a study of 67 patients, 309
 PAASKE P.B., STAUNSTRUP H.N., MALLING B. & KNUDSEN L. Impedence measurement in divers during a scuba-diving training programme, 145
 PADGHAM N.D., see Mills R.P.
 PALMER T., see Watkinson J.C.
 PASKIN L., see Watkinson J.C.
 PATEL P., see Moriarty B.G.
 PFLEIDERER A., see Nicolaides A.
 PHELPS P.D. Editorial Current role of magnetic resonance imaging and gadolinium enhancement in current British ENT practice, 431
 PHILLIPPS J.J. The cosmetic effects of submucous resection, 179
 PHILLIPS D., see Jones A.S.
 PIZZALA R., see Mevio E.
 POWELL D.J., see Robin P.E.
 POWELL J. see Rockley T.J.
 PREMACHANDRA D.J. & MILTON C.M. Childhood haemangiomas of the head and neck, 117
 PRINGLE M.B., see Croft C.B.
 PRINGLE M.B. & CROFT C.B. A comparison of sleep nasendoscopy and the Muller manoeuvre, 559
 PRIOR A.J. & DRAKE-LEE A.B. Auditing the reliability of recall of patients for minor surgical procedures, 373
 PROOPS D.W. see Smallman L.A.
 RACH G.H., ZIELHUIS G.A., VAN BAARLE P.W. & VAN DEN BROEK P. The effect of treatment with ventilating tubes on language development in preschool children with otitis media with effusion, 128
 RANKIN S., see Watkinson J.C.
 REID A., see Robin P.E.
 REID A.P., see Rockley T.J.
 RHYS R., see Dawes P.J.D.
 RINNE J. Late results of laterofixation in the treatment of bilateral abductor paralysis of the vocal cords: a clinical study with long-term follow-up, 436
 RIVRON R.P. & MARAN A.G.D. The Edinburgh FESS Trainer: a cadaver-based bench-top practice system for endoscopic ethmoidal surgery, 426

- RIVRON R.P. & MURRAY J.A.M. Adult epiglottitis: is there a consensus on diagnosis and treatment? 338
- ROBB P.J. & JOHNSTON D. The clinical management of otorrhoea following grommet insertion: a survey of Otolaryngologists and General Practitioners, 367
- ROBIN P.E. Facial palsy, 333
- ROBIN P.E., see Nigam A.
- ROBIN P.E., see O'Connell J.E.
- ROBIN P.E., see Rockley T.J.
- ROBIN P.E., REID A., POWELL D.J. & MCCONKEY C.C. The incidence of cancer of the larynx, 198
- ROBIN P.E., ROCKLEY T., POWELL D.J. & REID A. Survival of cancer of the larynx related to treatment, 193
- ROBSON A.K., see Leighton S.E.J.
- ROCKLEY T., see Robin P.E.
- ROCKLEY T.J., POWELL J., ROBIN P.E. & REID A.P. Post-laryngectomy stomal recurrence: tumour implantation or paratracheal lymphatic metastasis? 43
- ROCKS M.J., see Hall S.J.
- ROSENBERG M.E., see Thomas C.J.
- SAEED S., see Birzgalis A.R.
- SAVAGE D.A., see Murty G.E.
- SAVIĆ D.L.J. & DJERIĆ D.R. Malignant tumours of the middle ear, 87
- SCHOUWENBURG P.F., see Hilgers F.J.M.
- SCHUTTE H.K., see Dikkers F.G.
- SCOTT P.D.C., see Thomas C.J.
- SHAHEEN O.H., see Watkinson J.C.
- SIMPSON D., see Crowther J.A.
- SIMPSON D.C. & O'REILLY B.F. The protective effect of a conductive hearing loss in workers exposed to industrial noise, 274
- SKINNER D.W. & VAN HASSELT C.A. A study of the complications of grommet insertion for secretory otitis media in the presence of nasopharyngeal carcinoma, 480
- SMALLMAN L.A., TO S.S. & PROOPS D.W. An animal investigation into the effects of tympanostomy on middle ear mucociliary function and cilia, 535
- SMITH I.M. & MAW A.R. Secretory otitis media: a review of management by Consultant Otolaryngologists, 266
- SMITH I.M., MAW A.R. & DILKES M. The use of ventilatory tubes in secretory otitis media: a review of Consultant Otolaryngologists, 334
- SMITH M.C.F., see Murty G.E.
- SMYTH G.D.L., see McKee G.J.
- SNOW D.G., CAMPBELL J.B. & MORGAN D.W. The management of peritonsillar sepsis by needle aspiration, 245
- SNOW G.B., see Laarman D.A.W.
- SNOW G.B., see Maier H.
- SPRIANO P., see Mevio E.
- STAUNSTRUP H.N., see Paaske P.B.
- STELL P.M. Review Ploidy in head and neck cancer: a review and meta-analysis, 510
- STELL P.M., see Jackson S.R.
- STELL P.M., see Jones A.S.
- STENERSEN T.CHR., HOEL P.S. & BOYSEN M. Carcinoma in situ of the larynx: an evaluation of its natural clinical course, 358
- STEPHENS S.D.G., see Davies J.E.
- STEPHENS S.D.G., see Lim D.P.
- STURROCK R., see Camilleri A.E.
- SWAN I.R.C., see Camilleri A.E.
- TAYLOR S.R., see Barnes L.
- THOMAS C.J., JONES J.D., SCOTT P.D.C. & ROSENBERG M.E. The influence of exercise-induced temperature elevations on the auditory brain-stem response (ABR), 138
- TIBBLING L., see Mjones A.-B.
- TO S.S., see Smallman L.A.
- TODD C.E.C., see Watkinson J.C.
- TONER J.G., see McKee G.J.
- UNGARI C., see Magliulo G.
- VAN BAARLE P.W., see Rach G.H.
- VAN DEN BROEK P., see Rach G.H.
- VAN DER BAAN S., see Kroon A.A.
- VAN HASSELT C.A., see Skinner D.W.
- VAN KAMP G.J., see Laarman D.A.W.
- VAN WIJK R.G. & DIEGES P.H. Nasal hyper-responsiveness to histamine, methacholine and phenolamine in patients with perennial non-allergic rhinitis and in patients with infectious rhinitis, 133
- VAN ZANDWIJK N., see Hilgers F.J.M.
- VAUGHAN-JONES R.H., see Mills R.P.
- VEERMAN A.J.P., see Kroon A.A.
- VIANI L., see Jones A.S.
- VINGOLO G.M., see Magliulo G.
- WATKINSON J.C. & BREACH N.M. Free flaps in head and neck reconstructive surgery: a review of 77 cases, 350
- WATKINSON J.C., TODD C.E.C., PASKIN L., RANKIN S., PALMER T., SHAHEEN O.H. & CLARKE S.E.M. Metastatic carcinoma in the neck: a clinical radiological, scintigraphic and pathological study, 187
- WATSON C. Senior registrar training in otolaryngology: an audit of trainees, 551
- WHITTET H.B., see Croft C.B.
- WILLIAMS K.R., see Lesser T.H.J.
- WILSON J.A., see Crellin R.P.
- WILSON J.A., DEARY I.J. & MARAN A.G.D. The persistence of symptoms in patients with globus pharyngis, 202
- WOODHEAD C.J., DAVIES J.E. & ALLEN M.B. Obstructive sleep apnoea in adults presenting with snoring, 401
- WRIGHT A., see Croft C.B.
- ZIELHUIS G.A., see Rach G.H.

Subject index to Volume 16

- Acoustic neuroma, 418, 431
Acoustic rhinometry, 84, 313
Adenoidectomy, 84
Antihistamines
 in rhinitis, 527
Antroscopy, 62, 212
Arachidonic acid
 in oral scc, 563
Aspiration, 33
Audit, 373, 393, 413
 and hearing aids, 522
 and stapedectomy, 488
 in audiology, 230
 of training, 551
Auditory brain stem responses
 and temperature, 138
Auditory disability, 76
- Barotrauma, 145
Betahistine, 104
Blood transfusion, 240, 501
BPPV, 521
Branchio-oto-renal syndrome, 163
Bupivacaine, 274
- Calcium alginate, 319
Caloric stimulation, 100
Carcinoembryonic antigen, 182
Carcinoma in situ, 358, 420
Carhart notch, 70
Case mix, 393
Cautery
 nasal, 59
Cell kinetics, 413, 510
Cephalosporin, 104, 327
Ceratocricoid muscle, 108
Ceruminolytics, 109
Cervical lymph nodes, 101, 187
Chemotherapy, 313, 424
Cholesteatoma, 48, 100, 168, 252, 419
 and tissue culture, 493
 in childhood, 39
Chronic otitis media
 and ear drops, 142
Ciliary beat frequency, 523, 535
Ciliary dysfunction, 294, 325
Ciliary function
 in vitro, 111
Clinical psychology, 452
Cocaine
 and ciliary function, 111
Cochlear implants, 103, 114, 317, 321, 328
 and infection, 108
Comfortable loudness levels, 76
Conjunctivitis, 520
Cosmetic deformity
 and SMR, 179
- Cough
 and cord palsy, 248
 intensity, 25
Craniofacial approach, 102
Cricoid reconstruction, 100
CSOM, 252, 364
 and malignancy, 87
CT densitometry, 517
Cupulolithiasis, 521
Cyclosporin
 in sinus disease, 104
Cystic fibrosis, 520
Cytokeratins, 100, 168, 231
- Demineralized bone matrix, 100
DNA ploidy, 329, 510
- EMG
 of larynx, 106
Endolymphatic hydrops, 101
Epidemiology, 174, 198, 517
Epidermoid growth factor, 420, 466, 523
Epiglottitis, 338
Epistaxis, 59, 501
Epithelial migration, 48
Eustachian tube, 100, 113
External ear canal, 114
External rhinoplasty, 97, 103
- Facial palsy, 333, 470
Ferritin, 90
FESS, 426
Finite element analysis, 29
Flecainide
 in tinnitus, 93
Folic acid, 101
Forced whisper voice test, 76
Foreign bodies
 fish bones, 519
Free field audiometry, 228
Free flaps, 102, 424, 316, 350
Free jejunal graft, 229
- General health questionnaire, 452
Gentamicin
 ototoxicity, 107
Glasgow plot, 413
Globus syndrome, 202, 314
Glomus bodies
 in middle ear, 111
Glomus tumours, 105, 324, 431
Glottography, 298, 399, 532
Glue ear, see OME
Glycerol, 483, 521
Glycocalyx, 101
Goode's tubes, 112
- Haemangiomas
 childhood, 117

- Haemorheology, 5
- Head and neck cancer, 52, 90, 101, 182, 187, 229, 313
 - and DNA ploidy, 329
 - occupational factors, 406
- Hearing aid, 76, 103, 124, 318, 522
- Hearing loss, 5, 70, 157
 - in childhood, 280
 - in the elderly, 288
- Hearing tests, 76
- Hemifacial spasm, 322
- History taking, 373
- HLA tissue typing, 316, 364, 421, 448
- Hoarseness
 - assessment, 319
- House dust mite, 104, 327
- Humidifiers
 - after laryngectomy, 152
- Hypopharynx
 - scc of, 462
- Hyposensitization, 104
- Hypothyroidism
 - and Reinke's oedema, 315
- IgE, 110
- Incidence
 - of laryngeal Ca, 198
- Induced osteogenesis, 415
- Induction chemotherapy, 424
- Industrial deafness, 274
- Informed consent, 518
- Institute of Hearing Research
 - questionnaire, 76
- Inverted papilloma, 309
- Kartagener's syndrome, 294
- Labyrinthectomy, 114
- Language development, 128
- Laryngeal airflow, 230
- Laryngeal carcinoma, 43, 113, 149, 160, 193, 198, 231, 240, 358, 420, 466, 519
- Laryngeal closure, 33
- Laryngeal papilloma, 257
- Laryngectomy, 25
- Laryngectomy, 43, 101, 152, 193, 326, 417, 442
 - Provox prosthesis, 324
- Laryngograph, 319
- Laser, 325
- Libby horn, 103
- Lipid associated sialic acid, 90
- Lymphoma
 - middle ear, 89
- Maori children
 - and OME, 174
- Mastoid cavity, 12, 419
- Mastoid surgery
 - in childhood, 39, 252
- Maxillary sinus, 62, 612
- Medico-legal, 70
- Ménière's disease, 104, 114, 316, 483
 - and surgery, 216
 - electrocochleography, 113
- Methotrexate, 101
- Middle ear mucosa, 314, 535
- Middle ear pressures, 543
- Middle ear tumours, 87
- Mondini defect, 163
- Morphometry, 421
- MRI, 414, 418, 431
- Mucociliary function, 229, 535
- Mucocoele, 15
- Multiple primaries, 149
- Nasal airflow, 518
- Nasal airway resistance, 133, 206, 302, 315, 401
- Nasal balloon catheters, 317, 388
- Nasal challenge, 133
- Nasal mucosal blood flow, 522
- Nasal obstruction, 302
- Nasal packing, 109, 418, 433, 549
- Nasal patency, 233, 315
- Nasal polyps, 110, 237, 326
- Nasendoscopy
 - in sleep, 504, 559
- Nasopharyngeal carcinoma, 480
- Nasopharynx, 84
- Neck nodes, 52, 519, 527
- Nerve anastomosis, 228, 383
- Neuroendocrine tumours, 231
- Noise induced hearing loss, 70, 274
- Nomenclature, 8
- Obscure auditory dysfunction, 230
- Obstructive sleep apnoea, 104, 108, 401, 504
- Occupational deafness, 70
- Oesophageal manometry, 417, 442
- Oesophageal speech, 417, 442
- Oestrogen receptors, 523
- OME, 128, 157, 174, 232, 266, 334, 414, 457, 480, 523
- Oncogenes, 415, 420
- Oral carcinoma, 421, 422, 563
- Oropharyngeal decontamination, 101
- Oropharynx
 - scc of, 462
- Ossiculoplasty, 29, 232, 476
- Osteoradionecrosis
 - temporal bone, 326
- Otitis externa, 547
- Oto-acoustic emissions, 107, 325, 521
- Oto-admittance, 110, 145, 157
- Otogenic intracranial abscess, 111
- Otorrhoea, 16, 457
- Otosclerosis, 70, 488, 517
- Ototoxicity, 105, 107, 288, 520
- Papilloma virus, 113, 149, 257
- Paratracheal lymphatics, 43
- Peak air flow, 25, 206
- Perilymph fistula, 416
- Peritonsillar abscess, 245, 271, 517
- Pharyngolaryngectomy, 229
- Phoneme identification, 103
- Polytomography
 - in sinus disease, 62
- Posterior cricoarytenoid
 - EMG, 106
- Presbycusis, 288

- Promontory stimulation, 114
 Prostheses
 middle ear, 29
 Psychological disturbance, 452
 Pure tone audiometry, 76, 157
- Quinine
 ototoxic effects, 105
 Quinsy, 245, 271, 517
- Radical neck dissection, 52
 Radiotherapy
 in laryngeal Ca, 193
 Recurrent laryngeal nerve, 326
 Red cell deformability, 3
 Renal failure
 and hearing loss, 109
 Resonance
 ear canal, 114, 419
 Respiratory symptoms
 after laryngectomy, 152
 Rhabdomyosarcoma, 89, 322
 Rhinitis, 133, 302, 522, 527
 Rhinomanometry, 206
 Rhinometry
 acoustic, 84, 313
 Rhinoplasty, 97
 Rinne test, 416
- Salivary gland tumours, 233
 Scintigraphy, 187
 Screening, 110, 115, 228, 325
 Scuba diving, 145
 Second primaries, 102
 Second side neck dissection, 52
 Sensorineural loss, 3, 288
 Septoplasty, 97
 Serum markers
 and head and neck cancer, 90
 Sialoadenosis, 112
 Singular nerve, 305
 Sinusitis, 104, 327
 Sleep nasendoscopy, 504, 559
 SMR, 179
 Snoring, 104, 401, 504
 Speech discrimination tests, 76
 Sphenoiditis, 15
 Spirometry, 206
 Squamous cell carcinoma, 52, 87, 90, 101, 182, 257, 328, 406, 415, 462
 and DNA ploidy, 313, 510
 and papilloma virus, 113
- Stapedectomy, 488
 Stereocilia cross links, 101
 Stomal recurrence, 43
 Stria vascularis, 232
 Sudden hearing loss, 3
 Supraomohyoid neck dissection, 102
 Survival rates, 43, 52, 193, 257, 462
- Technetium, 187
 Temperature, 233, 318, 325, 421
 Temporal bone pathology, 163, 525
 Thymic hormones
 in head and neck cancer, 323
 Tinnitus, 93, 371
 Tissue culture, 493
 Tonsillectomy, 21, 271, 278, 319, 345, 414, 417, 498, 554
 Tonsillitis, 498, 517
 Tracheotomy, 43
 Training, 551
 Tussometry, 25, 248, 319
 Tympanic membrane, 48
 Tympanometry, 110, 145, 157
 Tympanoplasty, 540
 Tympanosclerosis, 457
- Ultrasonography
 in frontal sinus diagnosis, 285
 Upper resp. tract infection, 3
 Usher's syndrome, 328
 Uvulopalatopharyngoplasty, 104
- Vagal paragangliomas
 and DNA ploidy, 376
 Vasomotor rhinitis, 133
 Ventilation tubes, 112, 128, 334, 419, 457, 480
 and otorrhoea, 367
 Verrucous carcinoma, 160
 Vestibular nerve, 416
 Vitamin A, 102
 Vitamin E, 102
 Vocal cord
 benign lesions, 8
 Vocal cord palsy, 105, 248, 319, 436
 Vocal cord polyps, 91
- Warble tone tests, 76
 Wax, 109, 233, 521
 Wegener's granulomatosis, 316, 418, 448
 Workload, 393